## Law of Conservation of Mass

The Law:	ue cannot	bes	created	NOR	destroyed
Example:	mass of	R =	mass	06 P	

On mixing 2 aqueous solutions you observe from the products that a neutralization reaction has occurred. The equation and the results below illustrate this chemical reaction.

1) When 191 g of copper is combined with 756 g of a nitric acid solution HNO<sub>3</sub> the chemical reaction produces 563 g of copper nitrate Cu(NO<sub>3</sub>)<sub>2</sub>, 108 g of water and a certain amount of nitrogen dioxide.

Write the balanced chemical equation first:

What mass of nitrogen dioxide does this reaction produce?

acid! A reaction involving 168 g of sodium hydrogen carbonate (BS) and 120 g of vinegar 2) produces 88 g of carbon dioxide, 36 g of water and a certain amount of salt.

Write the balanced chemical equation first:

How much salt is produce?

			$\bigcap$ $A$	1
	H	=	Kydro	rearbon
/	0 0		U	

The reaction caused by the burning of lighter fluid or butane C₄H₁₀ in air produces energy and carbon dioxide and water.

Write the balanced chemical equation indicating which side the energy is on:

C4 H10 (g) 130d(s) 74CO2(g) +5H20(l)
29g (x) 88g (45g

During a lab, you react 29 g of butane. You observe that 88 g of carbon dioxide and 45 g of water vapour form.

What mass of oxygen from the air reacted with the butane?

104902

Fill in the blank with the correct number of grams.

Write the balanced chemical equations for the following including proper subscripts.

1) 40 g of calcium reacts with 71 g of chlorine to produce \_\_\_\_ g of calcium chloride CaCl<sub>2</sub>.

Ca(s) + Cl<sub>2</sub>(g) -> Ca(l<sub>2</sub>(s) 409 719 X?

g of potassium reacts with 16 g of oxygen to produce 94 g of potassium oxide K<sub>2</sub>O.

 $\frac{K(s) + O_{2}(g) \rightarrow K_{2}O(s)}{\chi^{2}, \quad 16g \qquad 94g}$ 

3)	g of hydrogen reacts with 32 g of oxygen to produce 34 g of hydrogen peroxide.
	The state of the s
	H2(g) + O2(g) > H2O2(e)
	$\chi$ ? 32g 34g
4)	65.5 g of copper reacts with
	Cu(s) + Oay) -> CuO(s) 65.59 X7 819
	65.5g X7 81g
5)	24.3 g of magnesium reacts with 38 g of fluorine to produce $62.3$ g of magnesium fluoride MgF <sub>2</sub> .
	mg(s) + F2(g) -> mgF2(s) 24.39 389 x?
	$24.3g$ $38g$ $\times$ ?
6)	14 g of lithium reacts with g of sulfur to produce 46 g of lithium sulfide Li₂S.
	Li(s) + Sq(s) Lig S(s)
	$\frac{\text{Li}(s) + S_8(s)}{149}  \frac{\text{Li}(s)}{\chi?}  \frac{\text{Li}_2S(s)}{469}$
7)	g of iron reacts with 71 g of chlorine to produce 391 g of iron (2) chloride FeCl <sub>2</sub> .
	Fe(s) + Cl2(g) -> FeCl2(s)
	X? Hg 391g.

Classify the following as atoms or molecules, elements or compounds, homogeneous or heterogeneous mixtures:

a density of the	1.4.17.2.1 -0.186.2.131.0.3
1 atomo	molecules  molecules  oo  oo
3 element	4 cpd
0 0 0	00
5 homo delenents	6 Retero 2 elements
00000	00 0 00 0 00 0 00 0 0 0 0 0 0 0 0 0 0 0
7 homo Tele & Topal	8 Retero 2 cpds.